

Combined Unit, ISTEK Type ESW, Wall Mounted, Built-In Type

Article Number: 15011000+15024000 & 15011500+15024500

P/N : 15011000+15024000 (Stainless Steel)

P/N : 15011500+15024500 (Galvanized and Painted Steel)



Standards



CE Mark



ANSI / ISEA Z358.1-
2014



ANSI / ISEA Z358.1-
2014 (Plumbing)



EAC/GOST-R



Meets requirements
of ANSI standard.



EN 15154-1



EN 15154-2



EAC

TECHNICAL DETAILS

Built-in Emergency Eye/Face wash and Shower Unit

Combined Eye wash and Body showers are designed and intended to be installed in close range of persons working in a potentially hazardous area. The main purpose of these devices is to immediately deliver a flushing fluid in a sufficient volume to extinguish flames and/or to flush the body following exposure to injurious substances or heat. With this accomplished the injured person can proceed to medical care.

Emergency Shower : Pull Rod operated

Eye/Face Wash : Push Handle Operated

Sprays water from showerhead. Rinses eyes and face with clean water via twin spray nozzles.

OPTIONAL ACCESSORIES



NON-EXPROOF

EXPROOF

Flow Switch



Freeze Protection Valve



NON-EXPROOF

EXPROOF

Electrical Connection Box



The Flanged Water Inlet




NON-EXPROOF

EXPROOF

Visual Alarm for Shower



The Eye Wash Cover



NON-EXPROOF



EXPROOF

Internal and External Lighting



Scald Protection Valve



The Water Pressure Gauge



The Hot & Cold Water Mixing Valve



The Foot Pedal Controller



The Foot Pedal Controller



The E-GSM Warning Device



The Rubber Dust Cover



The Compliance Test Kit



The Trigger Valve



The Proximity & Motion Sensor



Pressure Regulator



The Dirt Catcher
Filter



The Three-Sided
Enclosed Cabin



İvedik OSB Mh. 2269. Cd. No:42 PK.06374 Yenimahalle / ANKARA



0312 384 13 00



info@ist.com.tr