

Decontamination Unit ISTEK Type DECO

Article Number: 15051000 • 15051000-316 • 15051500 • 15052000



P/N : 15051000 (Stainless Steel) P/N : 15051500 (Galvanized and Painted Steel) P/N : 15052000 (System with 300 LT Water Tank and Shelter) Decontamination Showers provides sanitation and decontamination to the people exposed to chemical or biological agents, As well as to extinguish burning clothes.

Standards



Ex-Proof (ATEX)



EAC/GOST-R

TECHNICAL DETAILS

Decontamination Showers provides sanitation and decontamination to the people exposed to chemical or biological agents, As well as to extinguish burning clothes.

Autostart once stepped on the platform.

14 spray nozzles sprays necessary water to whole body.

Swivelling spray provides easy decontamination.

Stainless Steel or Galvanized and Painted steel material options.

Optionally be added side & rear panels and grating.

Options for hazardous and non-hazardous areas.

OPTIONS

- Ex-proof or Non Ex-proof Audible And Visual Alarm

- Ex-proof or Non Ex-proof Lighting

- GRP platform

- 316 Stainless Steel Material

- Water Pressure Regulator

- Flanged inlet


- Side & Rear panels or Shelter

- Water tank

OPTIONAL ACCESSORIES



Flow Switch




Electrical Connection Box



The Flanged Water Inlet



Visual Alarm for Shower



The GRP Grate and Water Collection Basin



Internal and External Lighting



The Water Pressure Gauge



The Hot & Cold Water Mixing Valve



Wastewater Pump



The E-GSM Warning Device



The Wastewater Tank



The Check Valve



The Hydrofor



The Trigger Valve



Pressure Regulator



The Dirt Catcher Filter

