

İŞÇİ SAĞLIĞI TEÇHİZATI IST Safety Ltd

Decontamination Unit ISTEC Type DECO



P/N: 15051000 (Stainless Steel) P/N: 15051500 (Galvanized and Painted Steel) P/N: 15052000 (System with 300 LT Water Tank and Shelter) Decontamination Showers provides sanitation and decontamination to the people exposed to chemical or biological agents, As well as to extinguish burning clothes.

Standards







EAC/GOST-R

TECHNICAL DETAILS

Decontamination Showers provides sanitation and decontamination to the people exposed to chemical or biological agents, As well as to extinguish burning clothes.

Autostart once stepped on the platform.

14 spray nozzles sprays necessary water to whole body.

Swivelling spray provides easy decontamination.

Stainless Steel or Galvanized and Painted steel material options.

Optionally be added side & rear panels and grating.

Options for hazardous and non-hazardous areas.

OPTIONS

- Ex-

proof

or Non

Ex-

proof

Audible

And

Visual

Alarm

- Ex-

proof

or Non

Ex-

proof

Lighting

- GRP

platform

- 316

Stainless

Steel

Material

- Water

Pressure

Regulator

_

Flanged

inlet

- Side &

Rear

panels

or

Shelter

- Water tank



vivedik OSB Mh. 2269. Cd. No:42 PK.06374 Yenimahalle /ANKARA



