

İŞÇİ SAĞLIĞI TEÇHİZATI IST Safety Ltd

FR31 - Flame Resistant Anti-Static Hi-Vis Fleece Yellow



This inherently flame resistant two-tone fleece offers exceptional warmth and comfort. The high quality anti-pill finish maintains the look of the garment for longer. Clever features include contrast panels for protection against dirt, two side zipped pockets, elasticated cuffs and an adjustable drawcord hem.

Features

- Inherent flame resistant qualities will not diminish with washing
- Protects against radiant and convective heat
- Drawcord adjustable hem
- Elasticated cuffs for a secure fit
- Front zip opening for easy access
- Contrast fleece collar for protection against dirt
- Contrast colouring for added style
- 40+ UPF rated fabric to block 98% of UV rays
- Premium sew on flame resistant reflective tape
- 2 pockets for secure storage
- CE certified
- CE-CAT III

Shell Fabric:

Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre x 2 layer 280g

TECHNICAL DETAILS

This inherently flame resistant two-tone fleece offers exceptional warmth and comfort. The high quality anti-pill finish maintains the look of the garment for longer. Clever features include contrast panels for protection against dirt, two side zipped pockets, elasticated cuffs and an adjustable drawcord hem.

Features

- Inherent flame resistant qualities will not diminish with washing
- Protects against radiant and convective heat
- Drawcord adjustable hem
- Elasticated cuffs for a secure fit
- Front zip opening for easy access
- Contrast fleece collar for protection against dirt
- Contrast colouring for added style
- 40+ UPF rated fabric to block 98% of UV rays
- Premium sew on flame resistant reflective tape
- 2 pockets for secure storage
- CE certified
- CE-CAT III

-

Shell Fabric:


Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre x 2 layer 280g

Standards

- EN ISO 11612 A1, B1, C2
- EN 1149 -5
- IEC 61482-2 IEC 61482-1-1 ELim 5.9CAL/CM²
- IEC 61482-2 IEC 61482-1-2 APC 1
- EN ISO 20471 Class 3

•

Washcare







0312 384 13 00

