



## FYRAL® 9000 Fire Proximity Suit (Jacket and Pants)



FYRAL® series aluminized fire proximity suits; The head protects against the harmful effects of high temperature and intense radiant heat, including hands and legs.

Manufactured in accordance with the new Personal Protective Equipment Regulation (EU) 2016/425.

The fire proximity suit is certified according to EN 1486:2007 European standard and carries the CE mark.

The design and ergonomics of the suit are in accordance with EN ISO 13688 standard.

Aluminum foil coated aluminized outer layer technology provides high protection against intense radiant heat.

Protective clothing consists of jackets, trousers, hood with helmet and gold vaporized visor, gaiter with fireman boots and gloves.

### Teknik Bilgiler

---

**Outer layer:** Aluminized glass fiber (500 g/cm<sup>2</sup>)

**Heat Barrier:** 100% Aramid nonwoven (Kermel ) (4 layers) (150 g/cm<sup>2</sup>)

**Inner Layer:** 65% Lenzing FR, 22% Aramid, 12% PA, 1% Beltron (Anti static fiber) (200 g/cm<sup>2</sup>)

**Auxiliary accessories:** Hood with visor, gloves and leggings

## Design

**Coat :** It is suitable for internal breathing apparatus. It has a zipper in the front, there is a velcro on the zipper.

**Hood with visor :** It is detachable from the coat, has a panoramic view and protects the neck, chest and shoulder areas.

**Trousers:** The suspenders are adjustable, the cuffs have elastic.

**Gloves:** There are 5 finger gloves from its own layer.

**Leggings:** It is in accordance with EN 15090 and EN ISO 20345 standard. Firefighter boots are sold with their aluminized sheath.

All parts of the suits are made of the same layer system as the suits.

The suit is sold as a set with a special carrying bag.

FYRAL® 9000 suits are composed of below parts:

Hood with visor  
Jacket with expanded back for breathing apparatus

Fire proof closure elements are located on front of the jacket.



SINCE  
1979

