

ISTEC DM10 LITER PORTABLE DECONTAMINATION SYSTEM



Product Code: 15059014

Stainless steel tank with 10 LT liquid capacity, resistant to 10 bar test pressure.

It has a manual internal pressure pump system.

Stainless steel lance with locking mechanism and adjustable nozzle.

There is a pressure manometer on the tank.

It has a quick-fit coupling system resistant to breakage and bending for the tank-lance connection.

It has an externally attachable backrest system for easy and comfortable transportation of the warehouse.

Teknik Bilgiler

Equipments of the units;

1) Water tank (10 liter)

Material: Stainless Stell 304

Color: khaki green

Water volume: 10 liter

Air volume: 4 liter

Thickness: 2 mm

Lower and upper bow are assembled to the body with weld.

Usage pressure: 5-6 bar

Test pressure: 10 bar

Can be filled and emptied from the top.

2) Hand pump;

Provides pressure which can spray all the liquid in the tank completely.

Mechanical locking system.

Provides 5-6 bar pressure

3) Safety Valve;

Screw connection

Device pressure automatically switches on when it reaches 8 bar.

Device's pressure automatically

Material: Brass

4) Air Inlet Manometer;

Screw connection

Works between 1-16 bar

Material: 304 Stainless Steel

Works with maximum 0,5 bar sensetivity.

5) 1 Liter Measuring cup;

Material: Plastic

Measures 1 liter liquid volume with maximum 100 mm sensitivity.

6) Carrying Apparatus;

Material: Sentetic

Back support flange

Adjustable belt.

Support belts on upper, middle and lower connected to the tank.

There is a zone that gun system can be assembled

7) Spray gun;

Opening and locking the trigger mechanism.

Tank can spray the cleaning material to minimum 5 meters.

The length of the gun barrel is 50 cm.

Gun barrel material: 304 stainless steel.

Gun trigger material: plastic

8) Spray Nozzle;

Material: Brass

It can be adjusted as spray and point spray.

The connection point to the spray gun is connected to the coupling.







