

FYRTEX® METAL SPLASH GUARD® 375 Hood

Certified Safety and Reliable
Protection

The METAL SPLASH GUARD® Hood is designed to protect users from heat, flames, and molten metal splashes. It is EU Type Examination certified under the 2016/425 PPE directive and CE marked.

Compliant with EN ISO 11612:2015 and EN ISO 11611:2015 European standards, it offers reliable protection in high-temperature, welding, and particularly in industrial environments where molten metals are handled.

Standards



CE



Category III



EN ISO 13688:2013



EN 1149-5:2018



EN ISO 11612:2015 A1 EN ISO 11611:2015 A1

B1 C2 D3 E3 F1



Class 2

TECHNICAL DETAILS

- **Certified Protection:** Manufactured in compliance with EN ISO 11612:2015 A1, B1, C2, D3, E3, F1 (Protection Against Heat and Flame) and EN ISO 11611:2015 Class 2 (Protection for Welding and Allied Processes) standards.
- ATPV value of the fabric is 11 cal/cm² according to IEC 61482-1-1: 2019 standard. Class (APC) value of the fabric is APC 1 (Class 1) according to EN 61482-1-2:2014 standard.
- **Antistatic Properties:** Meets EN 1149-5:2018 standards.
- **High-Quality Fibers:** Made from a special fabric blend of premium fibers, including Lenzing™FR, Wool, Polyamide, Twaron®, and Belltron®, ensuring durability and safety.
- **Flexible Design Options:** Available as a hood, designed according to EN 13688:2013 standards, offering versatile use to meet different needs. Optional gray reflective and high-visibility strips are also available.
- **Advanced Stitching Technique:** Special stitching technique to prevent adhesion of molten metals.
- **Color Options:** Standard in navy blue, with flexibility for other color requests.
- **Flame-Resistant Components:** Uses 100% aramid threads and flame-resistant fabrics for maximum safety.
- **Elastic Wrist Design:** Offers extra protection against molten metal splashes.
- **Customized Production:** Available in various sizes with customization options based on customer needs.

The METAL SPLASH GUARD® hood guarantees your safety in demanding industrial environments with its high-quality materials and durable design.

Performance Test

EN ISO 11612 - PERFORMANCE CLASS	
EN ISO 15025 - LIMITED FLAME SPREAD	A1
ISO 9151 - CONVECTIVE HEAT	B1
EN ISO 6942 - RADIANT HEAT	C2
ISO 9185 - MOLTEN ALUMINUM SPLASH	D3
ISO 9185 - MOLTEN IRON SPLASH	E3
ISO 12127 - CONTACT HEAT	F1

**Teijinconex® and Twaron® are registered trademarks of Teijin Aramid B.V.*

**Lenzing™FR is a registered trademark of Lenzing AG.*

**Belltron® is a registered trademark of Swicofil AG.*

**There may be differences between the colors and designs presented on the website and the original products.*

**All information provided on the ist.com.tr website is subject to change without prior notice.*



İvedik OSB Mh. 2269. Cd. No:42 PK.06374 Yenimahalle / ANKARA



0312 384 13 00



info@ist.com.tr