



Wolf TR-65 Ex-proof Safety Led Torches



- Light output/duration/power:
 - 300 lumens emitted
 - Duration at different power levels: 7/14/159 hours
 - 4 x AA alkaline primary cells
 - 3 power modes for different light output
 - Balanced spot and fringe optics
- Certification:
 - ATEX/IECEX Zone 0
 - T4 temperature class
 - IP66 and IP67 water and dust tight
- Features
 - Battery level indicator
 - Beam dip for last 15% of battery life
 - Robust, reliable and proven materials
 - Ergonomic design
 - Compact and lightweight

- Large switch (easy to use even when wearing gloves)
- Deep discharge protection
- Robust polymer clip
- Two lanyard fixings - one at each end of the torch
- Easy maintenance, spare parts available
- Flat torch back increases stability

Teknik Bilgiler

Product Reference	TR-65
Product Description	ATEX Right Angle Zone 0 Compact Safety LED Torch
Code	I M1/II 1G Ex ia I Ma/IIC T3/T4 Ga II 2D Ex ib IIIB T200°C Db
Type of Protection	'ia' intrinsic safety
Area of Classification (Gas)	Zones 0, 1 & 2 Gas Groups IIA, IIB IIC
Temperature Class (Gas)	T4 + T3 (depending on cells)
Area of Classification (Dust)	Zones 21 & 22 Dust Groups IIIA and IIIB

Max. Surface Temp. (Dust)		T200°C
Ambient Temperature		-30°C to +40°C
Certificate		ATEX Baseefa11ATEX0236 IECEX BAS 11.0116
Enclosure		Impact Resistant Thermoplastic, Chemical Resistant.
Base + Lens Ring		Shock Absorbing Elastomer
Lens		Toughened Glass
Beam Type		Spot with Fringe
Light Source:	Type	High Power LED
	Output	High Power 300lm / Medium Power 150lm / Low Power 30lm
	Life	10,000+ hrs
Power Source:	Part No.	4 x AA cells (LR6)
	Type	4 x LR6 Primary Cells to IEC 60086
	Volts	4 x 1.5v
Low Battery Indicator	Red LED	Yes
	Low Battery Beam Dip	Yes

Low Volt Cut Off	Yes
Light Duration	Up to 7.0 hrs / 14 hrs/159 hours
Ingress Protection	IP66 + IP67
Weight (inc. cells)	330g



SINCE
1979



9001:2015
CERTIFIED
COMPANY



Delivering Worldwide
70+ Countries and
Growing!