

FR63 - Hi-Vis Multi-Norm Bib and Brace Yellow/Navy



This multi-norm Bib and Brace is constructed with the same highly innovative fabric as the FR60. This comfortable garment offers protection against multiple risks. Features include twin-stitched Hi-Vis strips on the legs and waist, front brass zip and two front patch pockets, a chest pocket with flap, a back pocket with flap and a lower tool pocket with flap.

Features

- Protection against radiant, convective and contact heat
- Certified protection against molten metal splash
- Rule pocket
- One back pocket with flap and stud closure
- Adjustable straps for a secure fit
- Contrast colouring for added style
- Durable, strong and long lasting brass zip
- Sew on flame resistant industrial wash tape
- 7 pockets for ample storage
- Two tier knee pad pockets allowing two positioning options
- 40+ UPF rated fabric to block 98% of UV rays
- UKCA marked
- CE certified
- CE-CAT III

Shell Fabric :

Bizflame Multi: 99% Cotton, 1% Carbon Fibre 345g

TECHNICAL DETAILS

This multi-norm Bib and Brace is constructed with the same highly innovative fabric as the FR60. This comfortable garment offers protection against multiple risks. Features include twin-stitched Hi-Vis strips on the legs and waist, front brass zip and two front patch pockets, a chest pocket with flap, a back pocket with flap and a lower tool pocket with flap.

Features

- Protection against radiant, convective and contact heat
- · Certified protection against molten metal splash
- Rule pocket
- One back pocket with flap and stud closure
- Adjustable straps for a secure fit
- Contrast colouring for added style
- Durable, strong and long lasting brass zip
- Sew on flame resistant industrial wash tape
- 7 pockets for ample storage
- Two tier knee pad pockets allowing two positioning options
- 40+ UPF rated fabric to block 98% of UV rays
- UKCA marked
- CE certified
- CE-CAT III

•


Shell Fabric:

Bizflame Multi: 99% Cotton, 1% Carbon Fibre 345g

Standards

- EN ISO 11612 A1+A2, B1, C1, E3, F1
- EN ISO 11611 Class 1 A1+A2
- EN 1149 -5
- IEC 61482-2 IEC 61482-1-1 Elim 13 CAL/CM²
- IEC 61482-2 IEC 61482-1-2 APC 1
- EN 13034 Type PB [6]
- EN ISO 20471 Class 2
- ASTM F1959/F1959M-12 ATPV=13.6 Cal/CM2 (HAF=82%)

Washcare







0312 384 13 00

info@ist.com.tr