



Wolf VF-RV760S/VF-RV760/VF-RV1500 Venturi Systems



Pneumatic (compressed air) or saturated steam powered venturi cones for safe use in adverse or explosive atmospheres when used with optional static grounding cord.

Requires minimum maintenance.

Cones are crush and dent resistant.

Cylindrical mixing chamber delivers higher induction ratios and fits standard API 3" (7 cm) and 6" (15 cm) openings.

- Minimal maintenance - no moving parts
- Cylindrical mixing chamber delivers higher induction ratios
- Highly reliable
- Fixed standard API openings
- Tough and durable anti-static polymer housing

TECHNICAL INFORMATION

Pneumatic (compressed air) or saturated steam powered venturi cones for safe use in adverse or explosive atmospheres when used with optional static grounding cord.

Requires minimum maintenance.

Cones are crush and dent resistant.

Cylindrical mixing chamber delivers higher induction ratios and fits standard API 3" (7 cm) and 6" (15 cm) openings.

- Minimal maintenance - no moving parts
- Cylindrical mixing chamber delivers higher induction ratios
- Highly reliable
- Fixed standard API openings
- Tough and durable anti-static polymer housing



SINCE
1979



9001:2015
CERTIFIED
COMPANY



Delivering Worldwide
70+ Countries and
Growing!