THE PURPOSE OF A SAFETY CAN IS
THE CONTROL OF FLAMMABLE
VAPORS WHILE CARRYING,
DISPENSING AND STORING
OF VARIETY OF HAZARDOUS
FLAMMABLE LIQUIDS SUCH AS GASOLINE,
DIESEL, BENZENE ETC.
OUR SAFETY CANS ARE CERTIFIED
ACCORDING TO TSEK 207 STANDARD.





SAFECAN® SAFETY CANS

TYPE 1 SAFECAN®

SAFECAN® safety cans are designed to provide safe transportation and storage of flammable liquids.

Filling and pouring are provided from the same cap at Type 1 models.

Safety can models with faucet are available

Produced in various capacities between 2 L and 19 L.











19 L / 15 L / 11,5 L / 9,5 L / 7,5 L / 4 L / 2 L

Solvent

Kerosene

Oils & Lubricants Diesel Fuel

Flammable Liquids

22010002 (04-19)

TYPE 2 SAFECAN®

SAFECAN® safety cans are designed to provide safe transportation and storage of flammable liquids.

Filling and pouring are provided from the separate caps at Type 2 models.

Removable flexible metal hose.

Produced in various capacities between 2 L and 19 L.







19 L / 15 L / 11,5 L / 9,5 L / 7,5 L / 4 L / 2 L

Solvent

Kerosene

Oils & Lubricants

Diesel Fuel

Flammable Liquids

22030002 (04-19)

K 207





SAFECAN® PLUNGER CANS

While working with hazardous liquids, SAFECAN® plunger cans eliminates the possibility of spillage and scattering.

Thanks to its special spring mechanism, the liquid in the container is poured into the container when pressed from above, thus enabling clean and economical use.



4 L / 2 L





22050004



K 207

Stainless steel or galvanized and painted steel material options are available.

SAFECAN® DESIGN FEATURES

